



Retail Food Establishment Inspection Report

Floyd County Health Department
Telephone: 812-948-4726

X678

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name Tucker's American Favorites	Telephone Number 812-944-9999	Date of Inspection (mm/dd/yr) 9/26/19	PERMIT # 19-334
Establishment Address (number and street, city, state, zip code) 2441 State St Ste 6 New Albany, IN 47150	502-645-2104		
Owner Trey Meyers & Deane Kester	Purpose: 1. Routine	Follow-up NO	Release Date Today
Owner's Address 2441 State St	2. Follow-up	Summary of Violations: C 2 NC 5 R 1	
Person in Charge Lloyd "Cody" Meyers	3. Complaint		
Responsible Person's E-mail	4. Pre-Operational	Menu Type (See back of page)	
Certified Food Manager - need copy in store -	5. Temporary	1 2 3 4 5	
	6. HACCP		
	7. Other (list)		

• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
189	C	R	Measured green beans dated 9-25-19 at 46°F. Moved to ice bath.	today
			- Review code # 190 for cooling methods.	
438	C		Observed degreaser spray bottle not labeled.	corrected
110	NC		Observed change of owner without submitting documentation to health dept.	10 days
			- A plan review packet is required. Permits do not transfer with ownership change.	
118	NC		Observed no CFH Managers certificate.	2 days
			- New Owner is certified but no copy is at store.	
134	NC		Observed line cook with wrist watch.	corrected
295	NC		Observed spots on drink machine behind nozzles & on back splash. Observed spots in ice machine near hinge.	today
426	NC		Observed scattered cigarette butts behind store. - provide receptical.	2 days

Received by (name and title printed):

Lloyd M Meyers

Inspected by (name and title printed):

Thomas Snider, EHS

Received by (signature):

Lloyd M Meyers

Inspected by (signature):

Thomas Snider

cc:

cc:

cc: